

VIJAYA DEGREE COLLEGE
VI SEM BCA
Model Question paper-2
Computer Science
BCA 601: THEORY OF COMPUTATION

TIME: 3 hrs

MARKS: 100

INSTRUCTION : ANSWER ALL SECTIONS

SECTION-A

Answer any TEN questions .Each question carries TWO marks


10X2=20

1. Define Finite Automata.
2. Define state ,transition,and state-transition diagram with a suitable example.
3. Explain when is a language accepted by a finite automata.
4. Explain the terminal and non-terminal symbols of a grammar.
5. Design a regular expression for the language containing even number of 0's followed by odd number of 1's.
6. State pumping lemma for context free languages.
7. Define derivation .Mention the different types of derivation.
8. Mention the different types of PDA.
9. Define CNF.
- 10.Explain the mathematical representation of Turing Machine with a suitable example.
- 11.Define halting problem of turing machine.
- 12.State any two properties of CFL's

SECTION-B

Answer any FIVE questions. Each question carries FIVE marks 5X10=50

- Construct a NFA to accept strings of a's and b's having substring aba.
- Define regular expression. Explain the applications of regular Expression.
- Convert the DFA to NFA




- State and prove the pumping lemma for regular languages.
- Obtain a CFG for the following language $L = \{a^n b^n c^m \mid n \geq 1, m \geq 1\}$
- Explain the Post Correspondence Problem of Turing Machine.
- Rewrite the following grammar after eliminating the useless symbols
 $S \rightarrow AB \mid DS$
 $A \rightarrow a$
 $B \rightarrow c$
 $C \rightarrow D$
 $D \rightarrow Dd \mid \epsilon$
 $E \rightarrow a$
- Define ambiguous grammar. Show that the following grammar is ambiguous
 $S \rightarrow aSbS \mid bSaS \mid \epsilon$

SECTION-C

Answer any THREE questions. Each question carries FIFTEEN marks 3*15=45

- Convert the following NFA to equivalent DFA



- Construct DFA for a regular expression $(a+b)^*ab$

23. (a) Obtain the left and right derivation for a string $w=001122$ for the production rules $S \rightarrow AB, A \rightarrow 01 \mid 0A1, B \rightarrow 2B \mid \epsilon$.
- (b) Prove that regular languages are closed under intersection and union
24. Convert the given CFG into GNF $S \rightarrow AB, A \rightarrow BS \mid 1, B \rightarrow SA \mid 0$
25. (a) Explain intersection and homomorphism property of Regular Language
- (b) Explain the block diagram of PDA with its components Specification, language and transition table.

SECTION-D

Answer any ONE question. Each question carries TEN marks 1*10=10

26. Minimize the given DFA using table filling algorithm

$\$$	a	b
A	B	A
B	A	C
C	D	B
D	D	A
E	D	F
F	G	E
G	F	G
H	G	D

27. Explain the different types of Turing Machine. Design a Turing machine that accepts the language of all strings over the alphabet $\Sigma = \{a, b\}$ whose second letter is b